

ecofinishes[®]

Environmentally friendly floors.



evora natural

cork [kawrk] (n.)

1. an eclectic collection offering twelve visual options in differing shades and patterns.
2. floating planks featuring the latest technological advancements to optimize installation performance while eliminating costs and environmental concerns associated with adhesives.
3. specialized cell structure makes cork soft and resilient underfoot, while dampening sound and providing insulation.
4. a rapidly renewable resource derived from the bark of a cork oak tree which is unharmed in the harvesting process.



faro olive

dimensions

- thickness: 7/16"
- face width: 11 13/16"
- lengths: 35 11/16"
- square feet per carton: 31.32 sq. ft.

construction

- 3 mm cork wear layer (density 34 lbs / ft³)
- 6 mm MDF water resistant middle layer (density 52,87 lb / ft³)
- 2 mm cork underlayment (density 13lbs/ft³)

finish

- paraffin coating on all sides to prevent topical water damage
- three coats water based urethane with anti-scratch properties

installation

- patented glue-less locking system

warranties

- 15-year residential warranty against structural defects
- 10-year residential warranty against finish wear-through

technical

- residential applications: class 21, 22, 23 EN 660
- commercial applications: class 31,32 EN 660

L.E.E.D.[®] qualifications

- MR 4.1: recycled content 10%
- MR 4.2: recycled content 20%
- MR 6.0: rapidly renewable resource
- EA 4.1: low emitting materials - adhesives and sealants
- EA 4.4: low emitting materials - composite wood and agrifiber



mayor latte



algarve natural



algarve umber



evora natural



faro champagne



faro olive



faro natural



faro latte



faro leather



mayor natural




mayor latte



tavira natural



tavira umber



ecofinishes®

703 879 4148

www.ecofinishes.com